


ASSEMBLY INSTRUCTION



LATERAL FILE

Maximum weight capacity: 200lbs (91kg) equally distributed per bottom shelf and adjustable shelf.
Record date of purchase below and save this booklet for future reference.



THIS PRODUCT SHOULD BE ANCHORED TO A WALL OR OTHER SUITABLE SURFACE TO AVOID SERIOUS INJURY.

To help avoid any serious or fatal injury, an Anti-Tip kit has been included with this product to prevent toppling. We strongly recommend that this product be permanently fixed to the wall or other suitable surface.

The Anti-Tip kit included with this product is only suitable for **dry wall (Plaster board)**. A different anchor fitting will need to be purchased separately at your local hardware store if the product is to be anchored to a brick/concrete wall.

Please seek professional advice if you are in doubt what fixing device to use.

Item KWS132WG / KWS132BC

MAXIMUM WEIGHT: 200 LBS (90.9 KG)


PESO MÁXIMO: 200 LIBRAS (90.9 KILOGRAMO)

POIDS MAXIMUM: 200 LIVRES (90.9 KILOGRAMME)

MAXIMUM WEIGHT: 15 LBS (6.75 KG)

PESO MÁXIMO: 15 LIBRAS (6.75 KILOGRAMO)

POIDS MAXIMUM: 15 LIVRES (6.75 KILOGRAMME)



MAXIMUM WEIGHT: 25 LBS (11.25 KG)



PESO MÁXIMO: 25 LIBRAS (11.25 KILOGRAMO)

POIDS MAXIMUM: 25 LIVRES (11.25 KILOGRAMME)

MAXIMUM WEIGHT: 50 LBS (22.5 KG)

PESO MÁXIMO: 50 LIBRAS (22.5 KILOGRAMO)

POIDS MAXIMUM: 50 LIVRES (22.5 KILOGRAMME)




Fasteners are shown in actual size.

Los fijadores son demostrados en su tamaño actual.

Les attaches sont montrées dans l'échelle grandeur.

H180604


Quantity
20



KD Bolt

H181468

Quantity
20



KD Cam

H38169


Quantity
20



Wood Dowel
8 x 30mm

H101725


Quantity
12



#6 x 1/2"

H23198


Quantity
6



#10 x 1-1/2"

H146988

Quantity
2



#12 x 1/2"

H34174


Quantity
16



#3 x 3/4"

H153242

Quantity
12



#8 x 5/8"


H160803

Quantity
6



M4 x 19mm


H23604



Shelf Pin

Quantity
4


H126396



Shelf Pin Sleeve

Quantity
4


H170611



Hinge

Quantity
4

H170612



Mounting Plate

Quantity
4


H167910



14" Slide (350mm)

Quantity
2

H180675



Hinge

Quantity
2

H77351



Ø10x2mm

Quantity
2


H180671



Ø12x4mm

Quantity
2

H180971




Handle

Quantity
3

MODEL KWS132WG

H180730

Quantity
4




Cover Cap

MODEL KWS132BC

H159346

Quantity
4



Cover Cap

U₁


Quantity
1



#8x 1-1/2"

U₂

Quantity
1



#6 x 8/15"


U₃

Quantity
1



U₄

Quantity
1




U₅


Quantity
2



Common assembly techniques.
Técnica común de ensamblaje.
Techniques communes d'assemblage.



Push the KD cam all the way into the hole before tightening.
Empujar la leva KD hasta el final en el agujero antes de apretar.
Pousser la came de KD tout le chemin dans le trou avant de serrer.




H38169



Wood Dowel
8 x 30mm




[3]

H180604




KD Bolt

[7]



H181468




KD Cam

[3]

MODEL KWS132WG

H180730




Cover Cap

[2]


MODEL KWS132BC

H159346



Cover Cap

[2]




Common assembly techniques.
Técnica común de ensamblaje.
Techniques communes d'assemblage.


Move lock lever on the runner as shown to separate runner from mount and cage.
Mueva la palanca de seguro en el corredor del montaje y el casillero como se muestra.

Déplacez le levier de verrouillage sur le coulisseau comme illustré pour séparer le coulisseau de la monture et la cage.


Set runner aside to be used later in the Assembly Instructions.
Haga el corredor hacia un lado porque sera utilizado mas adelante.
Mettez le coulisseau de côté pour être utilisé plus tard dans les instructions d'assemblage.




H167910




H101725



H170612



Mounting Plate




H38169



Wood Dowel
8 x 30mm




[3]

H180604




KD Bolt

[7]



H181468




KD Cam

[3]

MODEL KWS132WG

H180730



Cover Cap

[2]


MODEL KWS132BC

H159346



Cover Cap

[2]




Common assembly techniques.
Técnica común de ensamblaje.
Techniques communes d'assemblage.


Move lock lever on the runner as shown to separate runner from mount and cage.
Mueva la palanca de seguro en el corredor del montaje y el casillero como se muestra.

Déplacez le levier de verrouillage sur le coulisseau comme illustré pour séparer le coulisseau de la monture et la cage.

Set runner aside to be used later in the Assembly Instructions.
Haga el corredor hacia un lado porque sera utilizado mas adelante.
Mettez le coulisseau de côté pour être utilisé plus tard dans les instructions d'assemblage.




H167910




[1]

H101725




[3]

H170612



[2]

Mounting Plate



H38169



Wood Dowel
8 x 30mm




[6]

H180604




KD Bolt

[2]



H181468



KD Cam


[2]

H38169




Wood Dowel
8 x 30mm

[2]




H181468




KD Cam

[4]

An assistant is required.
Es necesario un ayudante.
Un assistant est nécessaire.




H181468




KD Cam

[4]

An assistant is required.
Es necesario un ayudante.
Un assistant est nécessaire.




H180604




KD Bolt

[4]



H181468




KD Cam

[4]


With assistant carefully stand unit up.

Con un asistente cuidadosamente levante la unidad a una posición vertical.

Avec l'aidé d'un assistant placez soigneusement l'unité debout.




H34174



#3 x 3/4"

[15]

U2



[1]

U3









[1]

U5




[1]






H23198





[6]


H38169

Wood Dowel
8 x 30mm

[2]




H153242




[4]

H146988



[2]

H180675




[2]


H180671



[2]



H180971




[1]


H160803




M4 x 19mm

[2]






H23604



Shelf Pin


[4]

H126396




Shelf Pin Sleeve

[4]



Finished edge
Borde terminado
Cote fini


H170611



Hinge

[4]

H153242



#8 x 5/8"

[8]


H160803



M4 x 19mm

[4]

H180971



Handle


[2]



H77351




Ø12x2.1mm

[2]







U1  [1]

U4  [1]

U5  [1]



1. Position bookcase in final resting spot. Using 10mm bit to drill holes on the wall distance between the hole & top panel is 25mm.
2. Use supplied wall anchor and push/hammer into pilot hole until flush with wall. Refer to diagram 2
3. Reposition bookcase and use U1 screws to tighten Anti-tip belt onto wall. Refer to diagram 3.

Huali Trading Australia Pty Ltd Limited Three Year Warranty

This limited warranty covers the original purchase of new products used for normal commercial, personal or household use. Huali Trading Australia Pty Ltd (HTA) warrants its products will be free from defects in materials and workmanship (normal wear and tear excepted), for three (3) years from the date of purchase, except as provided below. **Any defective part for this product must be reported to HAT by the purchaser within 30 days of when defect becomes known.** HAT, at its' option, will **repair or** replace this product **or component(s)** free of charge. **Original sales receipt will be required prior to repair or replacement.** This warranty applies under conditions of normal use. This warranty does not apply to damage caused by fire, accident, negligence, misuse, use other than as stated in product instructions, improper cleaning or other circumstances not directly attributable to defects in materials and workmanship.

The word defects in this warranty is defined as imperfections that impair the use of the furniture product.

Natural variations occurring in wood or other materials will not be considered defects, and HTA does not warrant the colour – fastness or matching of colours, grains, or textures of such materials. This Warranty does not apply to: modifications of the product, attachments to the product not approved by HTA, and products that were not installed, used, or maintained in accordance with product instructions and warnings.

This warranty has the following exceptions: Fabrics, foam, veneer finishes and other covering materials are warranted for two (2) years from date of purchase.

Proof of purchase is required in the form of a receipt (copy or original) to validate warranty. All warranty claims can either be sent to:

sales@hualitrading.com.au

Or faxed to (02) 9621 1050

HTA's sole obligation and the users exclusive remedy under this warranty shall be limited to the repair, Credit (only applies to distributors) or replacement at HTA's sole discretion and cost, of product or components under the "COMPETITION AND CONSUMER ACT 2010".

"Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure".

Service Instructions

If you are having trouble with assembling your new furniture, please call us on (02) 9621 4701 for assistance.